

g nodes :
 1 2 3 4 5 6 7 8 9 10 11 12 13 14
 g bonds :
 1-2 1-6 1-10 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-10 9-11 10-14 11-12 12-13 13-14
 ct/norm bonds :
 1-10 6-7 7-8 8-9
 malized bonds :
 1-2 1-6 2-3 3-4 4-5 5-6 9-10 9-11 10-14 11-12 12-13 13-14

ch level :
 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom
 12:Atom 13:Atom 14:Atom

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
 NEWS 2 "Ask CAS" for self-help around the clock
 NEWS 3 JAN 27 Source of Registration (SR) information in REGISTRY updated
 and searchable
 NEWS 4 JAN 27 A new search aid, the Company Name Thesaurus, available in
 CA/CAPLUS
 NEWS 5 FEB 05 German (DE) application and patent publication number format
 changes
 NEWS 6 MAR 03 MEDLINE and LMedline reloaded
 NEWS 7 MAR 03 MEDLINE file segment of TOXCENTER reloaded
 NEWS 8 MAR 03 FRANCEPAT now available on STN
 NEWS 9 MAR 29 Pharmaceutical Substances (PS) now available on STN
 NEWS 10 MAR 29 WPIFV now available on STN
 NEWS 11 MAR 29 New monthly current-awareness alert (SDI) frequency in RAPRA
 NEWS 12 APR 26 PROMT: New display field available
 NEWS 13 APR 26 IFIPAT/IFIUDB/IFICDB: New super search and display field
 available
 NEWS 14 APR 26 LITAlert now available on STN
 NEWS 15 APR 27 NLDB: New search and display fields available
 NEWS 16 May 10 PROUSDDR now available on STN
 NEWS 17 May 19 PROUSDDR: One FREE connect hour, per account, in both May
 and June 2004
 NEWS 18 May 12 EXTEND option available in structure searching
 NEWS 19 May 12 Polymer links for the POLYLINK command completed in REGISTRY
 NEWS 20 May 17 FRFULL now available on STN
 NEWS 21 May 27 STN User Update to be held June 7 and June 8 at the SLA 2004
 Conference
 NEWS 22 May 27 New UPM (Update Code Maximum) field for more efficient patent
 SDIs in CAPLUS
 NEWS 23 May 27 CAPLUS super roles and document types searchable in REGISTRY
 NEWS 24 May 27 Explore APOLLIT with free connect time in June 2004

 NEWS EXPRESS MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT
 MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
 AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004
 NEWS HOURS STN Operating Hours Plus Help Desk Availability
 NEWS INTER General Internet Information
 NEWS LOGIN Welcome Banner and News Items
 NEWS PHONE Direct Dial and Telecommunication Network Access to STN
 NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
 specific topic.

All use of STN is subject to the provisions of the STN Customer
 agreement. Please note that this agreement limits use to scientific
 research. Use for software development or design or implementation
 of commercial gateways or other similar uses is prohibited and may
 result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 15:03:11 ON 09 JUN 2004

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 15:03:17 ON 09 JUN 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 8 JUN 2004 HIGHEST RN 690955-30-7
 DICTIONARY FILE UPDATES: 8 JUN 2004 HIGHEST RN 690955-30-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
 information enter HELP PROP at an arrow prompt in the file or refer
 to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>


=>

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Page 1-A

Page 2-A

NODE ATTRIBUTES:

NSPEC IS R AT 1

```

NSPEC   IS R      AT    2
NSPEC   IS R      AT    3
NSPEC   IS R      AT    4
NSPEC   IS R      AT    5
NSPEC   IS R      AT    6
NSPEC   IS R      AT    7
NSPEC   IS R      AT    8
NSPEC   IS R      AT    9
NSPEC   IS R      AT   10
NSPEC   IS R      AT   11
NSPEC   IS R      AT   12
NSPEC   IS R      AT   13
NSPEC   IS R      AT   14
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

```

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 14

STEREO ATTRIBUTES: NONE

=> s 11

SAMPLE SEARCH INITIATED 15:04:32 FILE 'REGISTRY'
 SAMPLE SCREEN SEARCH COMPLETED - 40 TO ITERATE

100.0% PROCESSED 40 ITERATIONS 3 ANSWERS
 SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
 PROJECTED ITERATIONS: 421 TO 1179
 PROJECTED ANSWERS: 3 TO 163

L2 3 SEA SSS SAM L1

=> s 11 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS
 DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y
 FULL SEARCH INITIATED 15:04:39 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 962 TO ITERATE

100.0% PROCESSED 962 ITERATIONS 22 ANSWERS
 SEARCH TIME: 00.00.01

L3 22 SEA SSS FUL L1

=> file hcaplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	156.26	156.47

FILE 'HCAPLUS' ENTERED AT 15:04:54 ON 09 JUN 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "[HELP USAGETERMS](#)" FOR DETAILS.
 COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is

held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Jun 2004 VOL 140 ISS 24
FILE LAST UPDATED: 8 Jun 2004 (20040608/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13

L4 4 L3

=> s 14 and selent, d?/au

27 SELENT, D?/AU

L5 1 L4 AND SELENT, D?/AU

=> d 15, ibib abs fhitr, 1

L5 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text **Citing References**

ACCESSION NUMBER: 2002:405762 HCAPLUS
DOCUMENT NUMBER: 136:401882
TITLE: Preparation of novel phosphinine compounds and their metal complexes as catalysts for hydroformylation reaction
INVENTOR(S): Roettger, Dirk; Hess, Dieter; Boerner, Armin; **Selent, Detlef**; Kadyrov, Renat; Wiese, Klaus-Dieter; Borgmann, Cornelia
PATENT ASSIGNEE(S): OXENO Olefinchemie GmbH, Germany
SOURCE: Eur. Pat. Appl., 28 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1209164	A1	20020529	EP 2001-124864	20011018
EP 1209164	B1	20031210		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
DE 10058383	A1	20020529	DE 2000-10058383	20001124
AT 256135	E	20031215	AT 2001-124864	20011018
US 2002103375	A1	20020801	US 2001-989077	20011121
JP 2002212195	A2	20020731	JP 2001-357869	20011122
PRIORITY APPLN. INFO.:			DE 2000-10058383 A	20001124
OTHER SOURCE(S):			CASREACT 136:401882; MARPAT 136:401882	
GI				

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *


AB The prepn. of title compds. I ($n = 0-1$; $Y = O, NH$, organoamino; $R_1-R_9 = H$, aliph. or arom. hydrocarbyl, F, Cl, Br, I, CF_3 , alkoxy, organocarbonyl, alkoxy carbonyl, alkali, alk. earth metal, ammonium, phosphonium substituted alkoxy carbonyl, organothio, organosulfonyl, etc.; $Q, W, X = C_1-50$ aliph., alicyclic, aliph.-alicyclic, heterocyclic, aliph.-heterocyclic, arom., aliph.-arom. hydrocarbyl), useful as cocatalyst for [acacRh(COD)] catalyzed hydroformylation reaction, is described. Thus, cyclization of 2,2'-bis(6-tert-butyl-1-hydroxy-4-methoxyphenyl) with PCl_3 in THF in presence of pyridine followed by alkoxylation with lithiated 2,2'-bis(6-tert-butyl-1-hydroxy-4-methoxyphenyl) and condensation with lithiated 10-chloro-9,10-dihydro-9-aza-10-phosphaphenanthrene gave 48% title compd. II. II cocatalyzed and [acacRh(COD)] catalyzed hydroformylation of 1-octene to give nonanal is described.

IT 109222-35-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. and phenoxylation of)

RN 109222-35-7 HCAPLUS

CN Dibenz[c,e][1,2]azaphosphorine, 6-chloro-5,6-dihydro- (6CI, 9CI) (CA INDEX NAME)



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d his

(FILE 'HOME' ENTERED AT 15:03:11 ON 09 JUN 2004)

FILE 'REGISTRY' ENTERED AT 15:03:17 ON 09 JUN 2004

L1 STRUCTURE UPLOADED

L2 3 S L1

L3 22 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 15:04:54 ON 09 JUN 2004

L4 4 S L3

L5 1 S L4 AND SELENT, D?/AU

=> s l4 not l5

L6 3 L4 NOT L5

=> s l6 and borner, a?/au

98 BORNER, A?/AU

L7 0 L6 AND BORNER, A?/AU

=> s l6 and kadyrov, r?/au

219 KADYROV, R?/AU

```

L8          0 L6 AND KADYROV, R?/AU

=> s l6 and borgmann, c?/au
          42 BORGMANN, C?/AU
L9          0 L6 AND BORGMANN, C?/AU

```

```

=> s l6 and hess, d?/au
          793 HESS, D?/AU
L10         0 L6 AND HESS, D?/AU

```

=> help sea

The SEARCH command is used to execute a search in the current file.

To use this command, enter SEARCH and a query name or a logic expression. The system will create an L-number answer set containing the results of the search.

A logic expression (profile) consists of L-numbers, E-numbers, text or numeric terms and/or saved query names, joined by Boolean operators and/or by appropriate proximity operators or by numeric operators in numeric expressions.

The order of precedence for the execution of operators is (highest first): numeric operators; (W), (NOTW), (A), and (NOTA); (S) and (NOTS); (P) and (NOTP); (L) and (NOTL); AND and NOT; then OR. Parentheses (nesting) can be used to modify this order. For information on the use of operators, enter HELP OPERATORS at an arrow prompt (=>). Enter HELP NUMERIC for an explanation of how to use numeric terms in a search.

The search terms you choose must be appropriate for the file you are in, e.g., structures can be searched in the REGISTRY file but not in the CAPLUS file. Generic structure files may be searched only with single structures, without logic operators or screen terms.

Ranges of L-numbers and/or E-numbers may be searched as if you had connected them with OR operators. For example, S E3-E6,E12,L2,L9-8 would be searched as if you had entered E3 OR E4 OR E5 OR E6 OR E12 OR L2 OR L9 OR L8.

To automatically add plurals for terms in the Basic Index or fields that comprise the Basic Index in a single search in an English language database, include PLURALS=ON in the command line, e.g., SEARCH HEDGE AND CLIPPER PLURALS=ON. For more information on searching plurals automatically, enter HELP SET PLURALS at an arrow prompt).

You may search a phrase in a field that contains single words and an appropriate operator, usually (W), will automatically be inserted between the words in the phrase.

Example:

```

=> SEARCH ACID RAIN AND POLLUTION
    752118 ACID
      5169 RAIN
      1214 ACID RAIN
        (ACID(W) RAIN)
    93061 POLLUTION
L2   1214 ACID RAIN AND POLLUTION

```

If you do not wish to see how a phrase was actually searched, enter SET INTERPRET OFF at an arrow prompt before executing the search. For more information, enter HELP SET INTERPRET.

You may select terms from an answer set in one file and search these terms in the same or another field in the same or another file. For more information on this type of file crossover, enter HELP SMARTSELECT at an arrow prompt. For more information on other types of file crossover, enter HELP CROSSOVER in the file.

You may choose to have the SEARCH command automatically inserted into your input query. To do this, enter SET AUTOSEARCH ON at an arrow prompt. For more information, enter HELP SET AUTOSEARCH.

If a saved query appears in a search, the full name must be entered, including /Q, e.g., SEARCH L3 AND HEDGE/Q NOT SULFUR/Q.

Saved answer sets, L-number lists, and SDI profiles must have L-numbers to be used in the SEARCH command. First ACTIVATE the saved item. Then use the L-number, not the saved name, in the SEARCH command.

Searches can be done on a limited portion of the file. For an explanation, enter HELP SEARCH RANGE at an arrow prompt.

Search terms may be truncated. For information on truncation symbols, enter HELP TRUNCATION at an arrow prompt. To see what terms or symbols may need special care when used in a search, enter HELP RESERVED.

To have L-numbers assigned to intermediate postings in a SEARCH, enter SEARCH STEPS. For more information, enter HELP SEARCH STEPS at an arrow prompt.

With fields for which a thesaurus file exists, search queries may be enriched with additional search terms such as Narrower Terms, Broader Terms, Related Terms, etc. For more information about using a thesaurus in searches, enter HELP THESAURUS at an arrow prompt in the desired file.

When SmartSelect L-numbers are searched, a new SmartSelect L-number can be created that contains those terms for which there were no postings. For more information, enter HELP SET AUDIT at an arrow prompt.

=> d his

(FILE 'HOME' ENTERED AT 15:03:11 ON 09 JUN 2004)

FILE 'REGISTRY' ENTERED AT 15:03:17 ON 09 JUN 2004

L1 STRUCTURE UPLOADED

L2 3 S L1

L3 22 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 15:04:54 ON 09 JUN 2004

L4 4 S L3

L5 1 S L4 AND SELENT, D?/AU

L6 3 S L4 NOT L5

L7 0 S L6 AND BORNER, A?/AU

L8 0 S L6 AND KADYROV, R?/AU
 L9 0 S L6 AND BORGMANN, C?/AU
 L10 0 S L6 AND HESS, D?/AU

=> s l6 and rottger, d?/au
 15 ROTTGER, D?/AU
 L11 0 L6 AND ROTTGER, D?/AU

=> s l6 and wiese, d?/au
 30 WIESE, D?/AU
 L12 0 L6 AND WIESE, D?/AU

=> d l6, ibib abs fhitstr, 1-3

L6 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Citing
 Text References

ACCESSION NUMBER: 1961:105803 HCAPLUS
 DOCUMENT NUMBER: 55:105803
 ORIGINAL REFERENCE NO.: 55:19898b-i,19899a-e
 TITLE: Synthesis and stereochemistry of heterocyclic phosphorus compounds. II. Loss of optical activity in the reduction of (+)-2-carboxy-9-phenyl-9-phosphafluorene 9-oxide
 AUTHOR(S): Campbell, I. G. M.; Way, J. K.
 CORPORATE SOURCE: Univ. Southampton, UK
 SOURCE: Journal of the Chemical Society, Abstracts (1961) 2133-41
 CODEN: JCSAAZ; ISSN: 0590-9791
 DOCUMENT TYPE: Journal
 LANGUAGE: Unavailable

AB cf. CA 55, 9423d. The prepn. of a group of 9-phenyl-9-phosphafluorene 9-oxides by cyclization of 2-biphenylphenylphosphinic acids and the redn. of 2 of these oxides to 9-phenyl-9-phosphafluorene were described. 2-Carboxy-9-phenyl-9-phosphafluorene 9-oxide (I) was resolved by sepn. of the diastereoisomeric amides obtained from (+)- (II) and from (-)-1-phenylethylamine (III). (+)-I, $[\alpha]_D^{25}$, 126°, with LiAlH₄ gave 2-hydroxymethyl-9-phenyl-9-phosphafluorene (IV) with complete loss of optical activity. This result and the retention of activity observed in the redn. of the azaphosphaphenanthrene oxide (V) were discussed. 2-Aminobiphenyl (0.1 mole) converted into the diazonium fluoroborate, the dry salt decompd. in 200 ml. EtOAc in the presence of 0.1 mole phenylphosphonous dichloride and 2 g. Cu bronze, after steam distn. the residue sepd. from the aq. layer, warmed with 25-30 ml. 10% NaOH, and filtered gave the Na salt of the product, acidified to give 9-10% 2-biphenylphenylphosphinic acid (VI), m. 180-1° (AcOH). Similar procedure with 2-amino-4'-nitrobiphenyl gave 4'-nitro-2-biphenylphenylphosphinic acid (VIa), m. 234-7°. 2-Amino-5-bromobiphenyl gave 11% 5-Br compd., m. 193-4°. 4-Methyl-2-biphenylphenylphosphinic acid (VIb), prisms, m. 144-5° was obtained in 4-5% yield by this method. Phenylphosphonous chloride (4.7 g.) in 50 ml. Et₂O added slowly to 2-biphenylmagnesium iodide, the mixt. refluxed 1 hr., acidified, and the product treated with 5 ml. 30-vol. H₂O₂ gave 1.5 g. VI; Et ester, m. 112-14°; anilide m. 202-4°. 2-Iodo-4-methylbiphenyl, b0.3 110-12°, was obtained from the corresponding amine in 46% yield. Phenylphosphonous dichloride (7 ml.) in 75 ml. Et₂O added to the Grignard reagent prepd. from 17 g. of the above iodo compd., the mixt. heated 45 min., shaken with 50 ml. 2N H₂SO₄ and 5 ml. 100-vol. H₂O₂, after 0.5 hr. the org. layer sepd., and evapd. gave 7.7 g. acid, m. 44-5°. VI was regained from polyphosphoric acid after 0.5 hr. at 120°, but at


160° some decompn. occurred and 10% Ph₂ was isolated. Concd. H₂SO₄ at 110° with VI 20 min. apparently caused sulfonation of the acid, but attempts to isolate sulfonated acids by formation of the Mg or Ba salts failed. VI (1 g.) converted into the acid chloride by treatment with SOCl₂ in CHCl₃, the oil heated in 20 ml. CS₂ with 0.5 g. AlCl₃ 3 hrs., shaken with N HCl, and evapd. gave 0.8 g. unchanged VI. The expt. repeated with 10 ml. PhNO₂ 4 hrs. at 160° gave 0.6 g. unchanged VI. VI (1 g.) and 1.5 g. PCl₅ refluxed 4 hrs. at 170-80°, the product extd. with 10% NaOH, and the remaining solid crystd. gave 0.26 g. 9-phenyl-9-phosphafluorene 9-oxide (VII), m. 167-8° (aq. alc.). Acidification of the alk. ext. gave 0.5 g. unchanged VI. VII formed a CdI₂ complex, diamond shaped plates, m. 200-2°; the HgCl₂ complex m. 145-7°. VIa (0.8 g.) similarly treated gave 0.15 g. 2-nitro-9-phenyl-9-phosphafluorene 9-oxide, m. 203° and 0.48 g. unchanged VIa. By the above process but with the quantity of PCl₅ increased to 2 g. and the period of heating to 8 hrs. at 160-70° 4-bromo-2-biphenylphenylphosphinic acid gave 0.65 g. 3-chloro-9-phenyl-9-phosphafluorene 9-oxide, m. 227-8°. VIb (2 g.) in 12 ml. PhNO₂ heated 6 hrs. at 160-5° with 4 g. PCl₅ gave 1.5 g. 2-methyl-9-phenyl-9-phosphafluorene 9-oxide (VIII), m. 146-7° (EtOAc-ligroine). Crude VIII (10 g.) heated in 45 ml. C₅H₅N and 25 ml. H₂O, treated during 2-3 hrs. with 19.5 g. KMnO₄, then heated 5 hrs. more with 30 ml. H₂O, steam distd., and the alk. soln. acidified gave 5.9 g. I, m. 323-6° (aq. alc.). VIII (0.9 g.) was recovered from the pptd. MnO₂. All attempts to resolve I by salt formation with optically active bases failed. Solns. of I with 1 or 2 equivs. III or (+)-amphetamine in alc. deposited oils and crystals, which, sepd. after several weeks from the oils, proved to be acid, m. 310°. I (1 g.) and 3 ml. III refluxed 3 hrs., poured into 20 ml. 4N HCl, and the solid extd. with satd. NaHCO₃ gave 0.75 g. amide. The acid (0.35 g.) was regained from the alk. ext. The (-)-1-phenylethylamide (IX) was obtained in 0.14-g. yield as rosettes, m. 263-5°, [α]_D -37.9°. Diln. of the filtrate from IX gave 0.14 g. optically pure (+)-acid amide (X), prisms, m. 273-5°, [α]_D 211.5°. I (2 g.) in 5 ml. II was heated 5 hrs., poured into 50 ml. 2N HCl, the solids collected, extd. with aq. NaHCO₃, and 0.22 g. acid recovered. The amide on crystn. gave 0.45 g. (+)-acid (+)-1-phenylethylamide (XI), m. 265-6°, [α]_D 38.6°. The mother liquors afforded 0.50 g. pure (-)-acid (+)-1-phenylethylamide (XII), heavy prisms, m. 274-5°, [α]_D -212°. A repetition of this resolution with 2.4 g. I gave 0.61 g. XI and 0.31 g. XII. X (0.14 g.) refluxed 1 hr. with 5 ml. 25% KOH in MeOH-H₂O gave 0.14 g. acid, m. 140-5° (decompn.), [α]_D 32.4°. IX (0.1 g.) similarly treated gave 85 mg. similar acid. Hydrolysis of 0.2 g. XII by the same method gave 0.17 g. acid, [α]_D -32.4°. The acid, [α]_D 20D -37.5°, (0.1 g.) in 1 ml. alc. refluxed 5 hrs. with 2 ml. concd. HCl gave optically inactive product. XI (0.65 g.) in 5 ml. alc. and 10 ml. concd. HCl refluxed 12 hrs. gave 0.41 g. (+)-I, m. 250-1°, [α]_D 20D 126° (c, 0.238 0.1N NaOH). Similar treatment of XII gave (-)-I, m. 250-1°, [α]_D 20D -126.1° (c 0.283, 0.1N NaOH). 9-Phenyl-9-phosphafluorene 9-oxide (0.2 g.) and 0.2 g. NaBH₄ in 5 ml. MeOH warmed 3 hrs. gave 0.15 g. unchanged oxide. I (0.5 g.) neutralized with 0.1N NaOH and kept 3 days at room temp. with 0.5 g. NaBH₄ and 2 ml. H₂O gave 0.45 g. unchanged I. I was also recovered when the mixt. was kept 24 hrs. at 50° or 10 hrs. at 100°. 9-Phenyl-9-phosphafluorene 9-oxide (0.47 g.) in 5 ml. C₆H₆ added dropwise to 0.2 g. LiAlH₄, the mixt. heated 5 hrs., and poured into 20% aq. NaOH gave 90 mg. 9-phenyl-9-phosphafluorene, m. 90-2°. I (0.5 g.) in 10 ml. C₆H₆ added slowly to 0.4 g. LiAlH₄ in 10 ml. Bu₂O during 0.5 hr. at 80-90°, the mixt.

heated 4 hrs., and set aside overnight gave 0.25 g. IV solvate, m. 52-4°. Anhyd. IV m. 38-42°. The filtrate afforded 50 mg. 2-hydroxymethyl-9-phenyl-9-phosphafluorene 9-oxide, m. 195-6° (alc.-EtOAc). Methylation of the original gum gave IV.MeI, m. 228-30°. When the reaction was repeated with 0.4 g. (+)-I and 0.3 g. LiAlH₄, the 0.32 g. IV was optically inactive. Relevant infrared absorption bands were given.

IT 230-22-8, Dibenz[c,e][1,2]azaphosphorine
(derivs., 6-oxides, redn. of)

RN 230-22-8 HCAPLUS

CN Dibenz[c,e][1,2]azaphosphorine (8CI, 9CI) (CA INDEX NAME)



L6 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN



ACCESSION NUMBER: 1961:48713 HCAPLUS
DOCUMENT NUMBER: 55:48713
ORIGINAL REFERENCE NO.: 55:9423d-i,9424a-i
TITLE: Synthesis and stereochemistry of heterocyclic phosphorus compounds. I. Preparation of (+)- and (-)-10-(p-dimethylaminophenyl)-9,10-dihydro-9-aza-10-phosphaphenanthrene
AUTHOR(S): Campbell, I. G. M.; Way, J. K.
CORPORATE SOURCE: Univ. Southampton, UK
SOURCE: Journal of the Chemical Society, Abstracts (1960) 5034-41
CODEN: JCSAAZ; ISSN: 0590-9791
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable
OTHER SOURCE(S): CASREACT 55:48713
GI For diagram(s), see printed CA Issue.
AB The synthesis of a series of 10-aryl-9,10-dihydro-9-aza-10-phosphaphenanthrenes (I) and their 10-oxides (II) was described. (+)-10-(p-Dimethylaminophenyl)-9,10-dihydro-9-aza-10-phosphaphenanthrene 10-oxide (III) and the (-)-isomer (IV) were obtained by crystn. of the camphor-10-sulfonates. Redn. of III and IV with LiAlH₄ gave (-)-10-(p-dimethylaminophenyl)-9, 10-dihydro-9-aza-10-phosphaphenanthrene (V) and the (+)-isomer (VI), resp. The active phosphines possessed considerable optical stability but were too susceptible to atm. oxidn. to be suitable for racemization studies. The configuration of the mol. was discussed and the main infrared absorption bands of the compds. were recorded. Toluene-3,4-dithiol (5 g.) and 1 ml. C₅H₅N in 100 ml. Et₂O treated with 7.2 g. p-dimethylaminophenylphosphonous dichloride, C₅H₅N.HCl removed, and the product isolated gave 4 g. 2-(p-dimethylaminophenyl)-5-methyl-1,3-dithia-2-phosphaindan (VII), m. 125-6° (Et₂O); monomethiodide m. 125.5-7.0° (decompn.) (alc.). 2-Aminobiphenyl (8.5 g.) and 70 ml. PCl₃ refluxed 8 hrs., the sticky mass remaining after removal of excess PCl₃ cyclized by heating 6 hrs. at 160-5° with 0.5 g. AlCl₃, the product dissolved in C₆H₆, 5 ml. POCl₃ added, the mixt. refluxed 0.5 hr., cooled, the filtrate evapd., and the product filtered off gave 4.2 g. crude 10-chloro-9,10-dihydro-9-aza-10-phosphaphenanthrene


(VIII). VIII was not further purified, since it rapidly decompd. by air, but was converted immediately into the required I. Crude VIII (from 0.05 mole of the amine) in 120 ml. C₆H₆ under N treated during 15 min. with PhLi (from 16.2 g. PhBr and 1.5 g. Li) in 100 ml. Et₂O, the mixt. refluxed 1 hr., cooled, poured into ice H₂O, and the org. layer sepd. and evapd. gave 1.5 g. I (R = R' = H), m. 181° (C₆H₆); methylation gave the methylphosphine methiodide, m. 215.5-16.5° (decompn.) (alc.). I were similarly prepd. except in the case of the p-bromo isomer which was obtained from the cyclic chloride by interaction of the mono Grignard reagent from p-dibromobenzene. They were crystd. from alc. or alc.-EtOAc. II were obtained from pure I in almost quant. yield, or from crude products of the arylation reaction, by addn. of 100-vol. H₂O₂ to a soln. in alc. or alc.-EtOAc at room temp. After chilling overnight, II were collected, and recrystd. The following I and II were obtained (R, R', m.p. of I, % yield of I, and m.p. of II given): Me, H, 125-8°, 25, 246-8°; H, Me, 135-8°, 5, 232-5°; H, Br, 145-7°, 9, 223-6°; H, NMe₂, 148-53°, 23, 258-60°. I(R = R' = H) oxide m. 289-90° (alc.). II(R = R' = H) heated 10 hrs. with 5N HCl gave (2'-amino-2-biphenyl)phenylphosphinic acid-HCl, m. 244° (decompn.) (4N HCl); after melting, the compd. solidified and rem. 290°. IV (R = Me, R' = H) (0.45 g.) in 3 ml. C₅H₅N and 3.5 ml. H₂O heated, and treated during 1 hr. with 0.9 g. KMnO₄, the mixt. heated 3 hrs., steam distd., and filtered gave no identifiable product from the filtrate. From the MnO₂ 0.25 g. unchanged oxide was obtained. I (R = H, R' = NMe₂) (0.4 g.) and 0.3 g. (+)-camphor-10-sulfonic acid in 5 ml. alc. gave no cryst. product; addn. of Et₂O pptd. a gum. The residue set aside several days in aq. alc. gave 0.16 mg. starting material. Similar results were obtained with tartaric acid and dibenzoyltartaric acid. I (R = H, R' = NMe₂) oxide (3.3 g.) and 2.35 g. (+)-camphor-10-sulfonic acid in 20 ml. alc. and 40 ml. EtOAc at 75° gave 2 fractions. The first fraction of 3.67 g. was extd. with refluxing EtOAc; the 2.85 g. of residue had [α]_D 0°. The salt from the evapd. ext. had [α]_D 58.5°. The inactive fraction crystd. from 1:1 alc.-EtOAc gave 0.45 g. (+)-acid (-)-base salt (IX), m. 203-5°, [α]_D -67.9°. Attempts to obtain the more sol. salt optically pure failed. The most dextrorotatory fraction (X) gave 0.52 g. material, [α]_D 58.5°. X afforded III in 0.16-g. yield, [α]_D 150.8°. Optically impure III (1.6 g.) regained from the resolution was converted into X, but repeated crystn. of the 1st fraction of salt failed to yield the pure X. To obtain pure III the resolution was repeated with 3.3 g. III and 2.36 g. (-)-camphor-10-sulfonic acid in alc. and EtOAc. Three fractions of salt were sepd. The 1st, 2.4 g., was collected after 3 hrs., the 2nd, 1.8 g., after evapn., and the third of 0.5 g., after concn. to 5 ml. and addn. of 5 ml. EtOAc. Three crystns. of the 1st fraction gave pure (-)-acid(+)-base salt, [α]_D 67.7°. Again it proved to be impossible to isolate the (-)-acid(-)-base salt though a fraction of 0.13 g., [α]_D -81.7°, was obtained. The pure salt was obtained by mixing equiv. amts. of the components in alc. and evapg. to a sirup which crystd. and m. 188-90°. IX (0.45 g.) in 100 ml. warm alc. cooled to -10° and decompd. with 15 ml. 0.5N NH₃ and a little H₂O gave 0.28 g. IV, m. 135-6° (decompn.), [α]_{22D} -152.6°. The (-)-acid(+)-base salt (0.58 g.) was similarly decompd. to 0.34 g. III, m. 135-6° (decompn.), [α]_{21D} 152.8°. III (0.2 g.) added portionwise during 45 min. to 0.15 g. LiAlH₄ suspended in 4.5 ml. Bu₂O and 10 ml. C₆H₆, the mixt. heated 6-7 hrs., cooled, poured into H₂O, and the residue crystd. gave 63 mg. V, m. 143-8°, [α]_{21D} -128.0° (c 0.2265, EtOAc). The redn. was repeated with 0.2 g. IV

under the same conditions but the heating period was reduced to 4 hrs.; removal of the C₆H₆ and chilling gave the first fraction of 41 mg., which was the oxide. Evapn. of the residual C₆H₆ gave 81 mg. VI, m. 154-6°, [α]_{21D} 141.6° (c 0.219, EtOAc). A 2nd redn. of 0.28 g. III gave 0.15 g. V. This specimen (46 mg.) in 20 ml. CHCl₃ had [α]_{20D} -221.7°. The rotation dropped slowly at room temp. and after 18 days reached [α]_{20D} 0.20°, indicating oxidn. V in Bu₂O was rapidly heated to the b.p., held there 0.5 hr., and cooled rapidly to 19°; the filtered soln. had [α]_{19D} 0.10°. Isolation gave 33 mg. product, m. 148-56°, [α]_{20D} 150.4° (c 1.138, alc.). V, [α]_{20D} -138.1°, was kept in EtOAc until the rotation had dropped to [α]_{20D} -112°. It was then shaken with 5 ml. 100-vol. H₂O₂ and 5 ml. H₂O for 10 min. After drying, the soln. had α _{20D} 0.41°, which represented [α]_{20D} 129.5°, which was nearly pure III.

IT 110059-86-4, Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-6-phenyl- (and derivs.)

RN 110059-86-4 HCAPLUS

CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-6-phenyl- (6CI) (CA INDEX NAME)



L6 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text Citing References

ACCESSION NUMBER: 1961:33112 HCAPLUS
 DOCUMENT NUMBER: 55:33112
 ORIGINAL REFERENCE NO.: 55:6494c-g
 TITLE: New heteroaromatic compounds. VI. Novel heterocyclic compounds of phosphorus
 AUTHOR(S): Dewar, M. J. S.; Kubba, Ved P.
 CORPORATE SOURCE: Univ. London
 SOURCE: Journal of the American Chemical Society (1960), 82, 5685-8
 CODEN: JACSAT; ISSN: 0002-7863
 DOCUMENT TYPE: Journal
 LANGUAGE: Unavailable
 OTHER SOURCE(S): CASREACT 55:33112

AB cf. CA 55, 2675g. Several novel heterocyclic analogs of phenanthrene contg. N and P in the 9- and 10-positions were prepd.; their spectra resembled those of analogous borazarophenanthrene derivs., suggesting that they too may be aromatic. o-H₂NC₆H₄Ph (5 g.) in 50 cc. dry C₆H₆ added during 20 min. with stirring to 4.1 g. PCl₃ in 500 cc. dry C₆H₆, refluxed 6 hrs., and evapd., and the residue (6.8 g.) refluxed 6 hrs. at 210-20° with 0.5 g. AlCl₃ and sublimed at 180-90°/0.05 mm. yielded 2.9 g. 10-chloro-9,10-dihydro-9,10-azaphosphaphenanthrene (I), needles, m. 132-4°. Crude I in dry CH₂Cl₂ refluxed 6 hrs. with PhMgBr from 0.9 g. Mg and 5.8 g. PhBr under N gave 3.9 g. 10-Ph analog (II) of I, m. 178-9° (CH₂Cl₂). II kept 6 weeks in air gave 10-phenoxy-9,10-dihydro-9,10-azaphosphaphenanthrene 10-oxide (III),


Q01.A5

prisms, m. 288-9° (CH₂Cl₂). II (1 g.), 0.97 g. AlCl₃, and 1.15 g. PhBr heated 4 hrs. at 210-20° under a stream of N gave 0.42 g. 10-Ph analog (IV) of III, prisms, m. 283° (EtOH). Crude I (6 g.) shaken with H₂O and CH₂Cl₂, and the org. layer worked up gave 3.9 g. 9,10-dihydro-9,10-azaphosphaphenanthrene 10-oxide (V), prisms m. 193-4° (CH₂Cl₂). Crude I (from 8.2 g. o-H₂NC₆H₄Ph) in 500 cc. CH₂Cl₂ treated with MeMgI from 1.8 g. Mg and 10.3 g. MeI in Et₂O, refluxed 8 hrs. with 10.5 g. MeI, and worked up gave 11.2 g. 10-methyl-9,10-dihydro-9,10-azaphosphaphenanthrene 10-methiodide (VI), light yellow prisms, m. 230-3° (decompn.) (CH₂Cl₂). II (1 g.) and 1.9 g. MeI in 100 cc. dry C₆H₆ refluxed 6 hrs. gave the Ph analog (VII) of VI, light yellow prisms, m. 214°. The ultraviolet absorption spectra of II, III, IV, V, VI, VII, 10,9-borazarophenanthrene (VIII), and the 10-Ph and 10-OH derivs. of VIII are recorded.

IT 109222-35-7, Dibenz[c,e][1,2]azaphosphorine, 6-chloro-5,6-dihydro- (prepn. of)

RN 109222-35-7 HCAPLUS

CN Dibenz[c,e][1,2]azaphosphorine, 6-chloro-5,6-dihydro- (6CI, 9CI) (CA INDEX NAME)



=> file caold

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	44.98	201.45
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-2.77	-2.77

FILE 'CAOLD' ENTERED AT 15:11:14 ON 09 JUN 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966
 FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> d his

(FILE 'HOME' ENTERED AT 15:03:11 ON 09 JUN 2004)

FILE 'REGISTRY' ENTERED AT 15:03:17 ON 09 JUN 2004

L1 STRUCTURE UPLOADED

L2 3 S L1

L3 22 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 15:04:54 ON 09 JUN 2004

L4 4 S L3

L5 1 S L4 AND SELENT, D?/AU

L6 3 S L4 NOT L5

L7 0 S L6 AND BORNER, A?/AU

L8 0 S L6 AND KADYROV, R?/AU

L9 0 S L6 AND BORGMANN, C?/AU

L10 0 S L6 AND HESS, D?/AU

L11 0 S L6 AND ROTTGER, D?/AU

L12 0 S L6 AND WIESE, D?/AU

FILE 'CAOLD' ENTERED AT 15:11:14 ON 09 JUN 2004

=> s 13

L13 2 L3

=> d 113, all, 1-2

L13 ANSWER 1 OF 2 CAOLD COPYRIGHT 2004 ACS on STN

AN CA55:9423d CAOLD

TI synthesis and stereochemistry of heterocyclic P compds. - (I) prepn. of
(+)- and (-)-10-(p-dimethylaminophenyl)-9, 10-dihydro-9-aza-10-
phosphaphenanthrene

AU Campbell, Ishbel G. M.; Way, J. K.

IT 72367-13-6 100715-14-8 109222-35-7 109650-89-7 110059-84-2
110059-86-4 110155-14-1 110155-15-2 110516-04-6 111065-19-1
111065-51-1 111799-48-5 111799-49-6 111799-51-0 111799-52-1
114793-83-8 117025-41-9

L13 ANSWER 2 OF 2 CAOLD COPYRIGHT 2004 ACS on STN

AN CA55:6494c CAOLD

TI heteroaromatic compds. - (VI) heterocyclic compds. of P

AU Dewar, Michael J. S.; Kubba, V. P.

IT 108848-04-0 109222-35-7 109511-22-0 110059-84-2 110059-86-4
111563-16-7 117000-57-4

=> fil reg; d acc 109222-35-7; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:11:25 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 109222-35-7 REGISTRY

CN Dibenz[c,e][1,2]azaphosphorine, 6-chloro-5,6-dihydro- (6CI, 9CI) (CA
INDEX NAME)

FS 3D CONCORD


MF C12 H9 Cl N P

SR CAOLD

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT, USPATFULL
(*File contains numerically searchable property data)

DT.CA CAplus document type: Journal; Patent

RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)
 RL.NP Roles from non-patents: NORL (No role in record)



3 REFERENCES IN FILE CA (1907 TO DATE)
 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:11:25 ON 09 JUN 2004

=> fil reg; d acc 110059-84-2; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:11:29 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 110059-84-2 REGISTRY

CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-6-phenyl-, 6-oxide (6CI) (CA INDEX NAME)

FS 3D CONCORD

MF C18 H14 N O P


SR CAOLD

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS

(*File contains numerically searchable property data)

DT.CA Caplus document type: Journal

RL.NP Roles from non-patents: NORL (No role in record)




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:11:30 ON 09 JUN 2004

=> fil reg; d acc 110059-86-4; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:11:34 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 110059-86-4 REGISTRY
 CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-6-phenyl- (6CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C18 H14 N P
 SR CAOLD
 LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT
 (*File contains numerically searchable property data)
 DT.CA Cplus document type: Journal
 RL.NP Roles from non-patents: NORL (No role in record)




2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:11:35 ON 09 JUN 2004

=> fil reg; d acc 110155-14-1; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:11:40 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 110155-14-1 REGISTRY
 CN Dibenz[c,e][1,2]azaphosphorine, 6-(p-bromophenyl)-5,6-dihydro- (6CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C18 H13 Br N P
 SR CAOLD
 LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS
 (*File contains numerically searchable property data)
 DT.CA Cplus document type: Journal
 RL.NP Roles from non-patents: NORL (No role in record)



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:11:41 ON 09 JUN 2004

=> fil reg; d acc 110155-15-2; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:11:45 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 110155-15-2 REGISTRY

CN Dibenz[c,e][1,2]azaphosphorine, 6-(p-bromophenyl)-5,6-dihydro-, 6-oxide
(6CI) (CA INDEX NAME)

FS 3D CONCORD

MF C18 H13 Br N O P


SR CAOLD

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS

(*File contains numerically searchable property data)

DT.CA Cplus document type: Journal

RL.NP Roles from non-patents: NORL (No role in record)



1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:11:46 ON 09 JUN 2004

=> fil reg; d acc 110516-04-6; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:11:49 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 110516-04-6 REGISTRY

CN Dibenz[c,e][1,2]azaphosphorine, 6-(p-dimethylaminophenyl)-5,6-dihydro-
(6CI) (CA INDEX NAME)


FS 3D CONCORD

MF C20 H19 N2 P

SR CAOLD

LC STN Files: BEILSTEIN*, CAOLD

(*File contains numerically searchable property data)



1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:11:50 ON 09 JUN 2004

=> fil reg; d acc 111065-19-1; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:11:55 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 111065-19-1 REGISTRY

CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-5-methyl-6-phenyl-, methiodide
(6CI) (CA INDEX NAME)

MF C19 H16 N P . C H3 I


SR CAOLD

LC STN Files: CAOLD

CM 1

CRN 111065-18-0

CMF C19 H16 N P



CM 2

CRN 74-88-4

CMF C H3 I

H3C-I

1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:11:55 ON 09 JUN 2004

=> fil reg; d acc 111065-51-1; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:12:08 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 111065-51-1 REGISTRY

CN Dibenz[c,e][1,2]azaphosphorine, 6-(p-dimethylaminophenyl)-5,6-dihydro-,
6-oxide (6CI) (CA INDEX NAME)

FS 3D CONCORD


MF C20 H19 N2 O P

CI COM

SR CAOLD

LC STN Files: BEILSTEIN*, CAOLD

(*File contains numerically searchable property data)



1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:12:08 ON 09 JUN 2004

=> fil reg; d acc 111799-48-5; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:12:13 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 111799-48-5 REGISTRY

CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-3-methyl-6-phenyl-, 6-oxide
(6CI) (CA INDEX NAME)

FS 3D CONCORD

MF C19 H16 N O P


SR CAOLD

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS

(*File contains numerically searchable property data)

DT.CA CAplus document type: Journal

RL.NP Roles from non-patents: NORL (No role in record)



1 REFERENCES IN FILE CA (1907 TO DATE)


1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:12:14 ON 09 JUN 2004

=> fil reg; d acc 111799-49-6; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:12:19 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 111799-49-6 REGISTRY
 CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-6-p-tolyl-, 6-oxide (6CI) (CA
 INDEX NAME)
 FS 3D CONCORD
 MF C19 H16 N O P
 SR CAOLD
 LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS
 (*File contains numerically searchable property data)
 DT.CA Caplus document type: Journal
 RL.NP Roles from non-patents: NORL (No role in record)




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:12:19 ON 09 JUN 2004

=> fil reg; d acc 111799-51-0; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:12:25 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 111799-51-0 REGISTRY
 CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-3-methyl-6-phenyl- (6CI) (CA
 INDEX NAME)
 FS 3D CONCORD
 MF C19 H16 N P
 SR CAOLD
 LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS
 (*File contains numerically searchable property data)
 DT.CA Caplus document type: Journal
 RL.NP Roles from non-patents: NORL (No role in record)



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:12:25 ON 09 JUN 2004

=> fil reg; d acc 111799-52-1; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:12:29 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 111799-52-1 REGISTRY

CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-6-p-tolyl- (6CI) (CA INDEX NAME)

FS 3D CONCORD

MF C19 H16 N P


SR CAOLD

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS

(*File contains numerically searchable property data)

DT.CA Cplus document type: Journal

RL.NP Roles from non-patents: NORL (No role in record)




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:12:30 ON 09 JUN 2004

=> fil reg; d acc 108848-04-0; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:12:39 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 108848-04-0 REGISTRY
 CN 5,6-Dihydro-6,6-dimethylbenz[c,e][1,2]azaphosphorinium iodide (6CI) (CA
 INDEX NAME)
 MF C14 H15 N P . I
 SR CAOLD
 LC STN Files: BEILSTEIN*, CAOLD
 (*File contains numerically searchable property data)



I⁻


1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:12:39 ON 09 JUN 2004

=> fil reg; d acc 109222-35-7; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:12:49 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 109222-35-7 REGISTRY
 CN Dibenz[c,e][1,2]azaphosphorine, 6-chloro-5,6-dihydro- (6CI, 9CI) (CA
 INDEX NAME)
 FS 3D CONCORD
 MF C12 H9 Cl N P
 SR CAOLD
 LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT, USPATFULL
 (*File contains numerically searchable property data)
 DT.CA Caplus document type: Journal; Patent
 RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)
 RL.NP Roles from non-patents: NORL (No role in record)



3 REFERENCES IN FILE CA (1907 TO DATE)
 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:12:49 ON 09 JUN 2004

=> fil reg; d acc 109511-22-0; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:12:55 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 109511-22-0 REGISTRY

CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-6-phenoxy-, 6-oxide (6CI) (CA INDEX NAME)

FS 3D CONCORD

MF C18 H14 N O2 P


SR CAOLD

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS

(*File contains numerically searchable property data)

DT.CA Caplus document type: Journal

RL.NP Roles from non-patents: NORL (No role in record)



1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:12:55 ON 09 JUN 2004

=> fil reg; d acc 110059-84-2; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:13:07 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 110059-84-2 REGISTRY

CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-6-phenyl-, 6-oxide (6CI) (CA INDEX NAME)

FS 3D CONCORD

MF C18 H14 N O P


SR CAOLD

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS

(*File contains numerically searchable property data)

DT.CA Caplus document type: Journal

RL.NP Roles from non-patents: NORL (No role in record)



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:13:07 ON 09 JUN 2004

=> fil reg; d acc 110059-86-4; fil CAOLD

FILE 'REGISTRY' ENTERED AT 15:13:13 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 110059-86-4 REGISTRY

CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-6-phenyl- (6CI) (CA INDEX NAME)

FS 3D CONCORD


MF C18 H14 N P

SR CAOLD

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT
 (*File contains numerically searchable property data)

DT.CA Caplus document type: Journal

RL.NP Roles from non-patents: NORL (No role in record)



2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:13:14 ON 09 JUN 2004

=> fil reg; d acc 111563-16-7; fil CAOLD


FILE 'REGISTRY' ENTERED AT 15:13:21 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN

RN 111563-16-7 REGISTRY

CN 5,6-Dihydro-6-methyl-6-phenyldibenz[c,e][1,2]azaphosphorinium iodide (6CI)

(CA INDEX NAME)
 MF C19 H17 N P . I
 SR CAOLD
 LC STN Files: BEILSTEIN*, CAOLD
 (*File contains numerically searchable property data)



I⁻


1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:13:22 ON 09 JUN 2004

=> fil reg; d acc 117000-57-4; fil CAOLD





FILE 'REGISTRY' ENTERED AT 15:13:26 ON 09 JUN 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 117000-57-4 REGISTRY
 CN Dibenz[c,e][1,2]azaphosphorine, 5,6-dihydro-, 6-oxide (6CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C12 H10 N O P
 SR CAOLD
 LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS
 (*File contains numerically searchable property data)
 DT.CA Caplus document type: Journal
 RL.NP Roles from non-patents: NORL (No role in record)



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 15:13:27 ON 09 JUN 2004



```

main nodes :
 15 17 20 21
ring nodes :
 1 2 3 4 5 6 7 8 9 10 11 12 13 14
ring/chain nodes :
 16 18 19 25 26 27
main bonds :
 8-15 15-16 17-18
ring/chain bonds :
 18-19 18-25 19-27 25-26
ring bonds :
 1-2 1-6 1-10 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-10 9-11 10-14 11-12 12-13 13-14
exact/norm bonds :
 1-10 6-7 7-8 8-9 8-15 15-16 17-18 18-19 18-25 19-27 25-26
normalized bonds :
 1-2 1-6 2-3 3-4 4-5 5-6 9-10 9-11 10-14 11-12 12-13 13-14
isolated ring systems :
  containing 1 :

```





1:[*1],[*2]

match level :

```

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom
12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS
21:CLASS 25:CLASS 26:CLASS 27:CLASS

```





o 1 n 2

1 2 2



chain nodes :
 15 16 19 20
 ring nodes :
 1 2 3 4 5 6 7 8 9 10 11 12 13 14
 ring/chain nodes :
 17 18 24 25 26
 chain bonds :
 8-15 16-17
 ring/chain bonds :
 17-18 17-24 18-26 24-25
 ring bonds :
 1-2 1-6 1-10 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-10 9-11 10-14 11-12 12-13 13-14
 exact/norm bonds :
 1-10 6-7 7-8 8-9 8-15 16-17 17-18 17-24 18-26 24-25
 normalized bonds :
 1-2 1-6 2-3 3-4 4-5 5-6 9-10 9-11 10-14 11-12 12-13 13-14
 isolated ring systems :
 containing 1 :

G1:[*1],[*2]

Match level :
 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom
 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS
 24:CLASS 25:CLASS 26:CLASS



O¹ N²



O¹ N²

chain nodes :

15 16 19 20 30

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14

ring/chain nodes :

17 18 24 25

chain bonds :

8-15 15-30 16-17

ring/chain bonds :

17-18 17-24 18-25

ring bonds :

1-2 1-6 1-10 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-10 9-11 10-14 11-12 12-13 13-14

exact/norm bonds :

1-10 6-7 7-8 8-9 8-15 15-30 16-17 17-18 17-24 18-25

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 9-10 9-11 10-14 11-12 12-13 13-14

isolated ring systems :

containing 1 :

G1:[*1],[*2]




G2:Cy,Ak

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom

12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS

24:CLASS 25:CLASS 30:CLASS



15 16

$$\begin{matrix} & 1 & 2 & 3 \\ 1 & & & \\ 2 & & & \\ 3 & & & \end{matrix}$$

```
g/chain nodes :
```

17 18 19

8-15 16-17

17-18 18-19

g bonds :
1 2 1 2

1-2 1-6 1-10 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-10 9-11 10-14 11-12 12-13 13-14

1-10 6-7 7-8 8-9 8-15 16-17 17-18 18-19


1-2 1-6 2-3 3-4 4-5 5-6 9-10 9-11 10-14 11-12 12-13 13-14

containing 1 :


```
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom
12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS
```

```
12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS
```

C:\stnweb\Queries\4.str



O²
N¹



O²
N¹

```

chain nodes :
  15 16 20 21 22
ring nodes :
  1 2 3 4 5 6 7 8 9 10 11 12 13 14
ring/chain nodes :
  17 26
chain bonds :
  8-15 15-20 16-17 16-20
ring/chain bonds :
  17-26
ring bonds :
  1-2 1-6 1-10 2-3 3-4 4-5 5-6 6-7 7-8 8-9 9-10 9-11 10-14 11-12 12-13 13-14
exact/norm bonds :
  1-10 6-7 7-8 8-9 8-15 15-20 16-17 16-20 17-26
normalized bonds :
  1-2 1-6 2-3 3-4 4-5 5-6 9-10 9-11 10-14 11-12 12-13 13-14
isolated ring systems :
  containing 1 :

```

G1:cy,Ak

G2:[*1],[*2]

```

Match level :
  1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom
  12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 20:CLASS 21:CLASS 22:CLASS
  26:CLASS

```

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
 NEWS 2 "Ask CAS" for self-help around the clock
 NEWS 3 JAN 27 Source of Registration (SR) information in REGISTRY updated
 and searchable
 NEWS 4 JAN 27 A new search aid, the Company Name Thesaurus, available in
 CA/CAPLUS
 NEWS 5 FEB 05 German (DE) application and patent publication number format
 changes
 NEWS 6 MAR 03 MEDLINE and LMedLINE reloaded
 NEWS 7 MAR 03 MEDLINE file segment of TOXCENTER reloaded
 NEWS 8 MAR 03 FRANCEPAT now available on STN
 NEWS 9 MAR 29 Pharmaceutical Substances (PS) now available on STN
 NEWS 10 MAR 29 WPIFV now available on STN
 NEWS 11 MAR 29 New monthly current-awareness alert (SDI) frequency in RAPRA
 NEWS 12 APR 26 PROMT: New display field available
 NEWS 13 APR 26 IFIPAT/IFIUDB/IFICDB: New super search and display field
 available
 NEWS 14 APR 26 LITAlert now available on STN
 NEWS 15 APR 27 NLDB: New search and display fields available
 NEWS 16 May 10 PROUSDDR now available on STN
 NEWS 17 May 19 PROUSDDR: One FREE connect hour, per account, in both May
 and June 2004
 NEWS 18 May 12 EXTEND option available in structure searching
 NEWS 19 May 12 Polymer links for the POLYLINK command completed in REGISTRY
 NEWS 20 May 17 FRFULL now available on STN
 NEWS 21 May 27 STN User Update to be held June 7 and June 8 at the SLA 2004
 Conference
 NEWS 22 May 27 New UPM (Update Code Maximum) field for more efficient patent
 SDIs in CAPLUS
 NEWS 23 May 27 CAPLUS super roles and document types searchable in REGISTRY
 NEWS 24 May 27 Explore APOLLIT with free connect time in June 2004
 NEWS EXPRESS MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT
 MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
 AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004
 NEWS HOURS STN Operating Hours Plus Help Desk Availability
 NEWS INTER General Internet Information
 NEWS LOGIN Welcome Banner and News Items
 NEWS PHONE Direct Dial and Telecommunication Network Access to STN
 NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
 specific topic.

All use of STN is subject to the provisions of the STN Customer
 agreement. Please note that this agreement limits use to scientific
 research. Use for software development or design or implementation
 of commercial gateways or other similar uses is prohibited and may
 result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:54:07 ON 09 JUN 2004

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 11:54:21 ON 09 JUN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 7 JUN 2004 HIGHEST RN 690625-61-7
DICTIONARY FILE UPDATES: 7 JUN 2004 HIGHEST RN 690625-61-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

L1 STRUCTURE UPLOADED


=> d 11

L1 HAS NO ANSWERS


L1 STR

24
C

Page 1-A



Page 1-C




0 19

Page 1-D

C 23

Page 2-A



Page 2-C

G1
22

Page 2-D

0 20

G20
25

Page 4-C

N 21

Page 4-D

VAR G1=20-18 20-23/21-18 21-23

REP G20=(0-1) 19-18 19-24

NODE ATTRIBUTES:

NSPEC	IS R	AT	1
NSPEC	IS R	AT	2
NSPEC	IS R	AT	3
NSPEC	IS R	AT	4
NSPEC	IS R	AT	5
NSPEC	IS R	AT	6
NSPEC	IS R	AT	7
NSPEC	IS R	AT	8
NSPEC	IS R	AT	9
NSPEC	IS R	AT	10
NSPEC	IS R	AT	11
NSPEC	IS R	AT	12
NSPEC	IS R	AT	13
NSPEC	IS R	AT	14
NSPEC	IS C	AT	15
NSPEC	IS RC	AT	16
NSPEC	IS C	AT	17
NSPEC	IS RC	AT	18
NSPEC	IS RC	AT	19
NSPEC	IS C	AT	20
NSPEC	IS C	AT	21
NSPEC	IS RC	AT	22
NSPEC	IS RC	AT	23
NSPEC	IS RC	AT	24
NSPEC	IS C	AT	25

DEFAULT MLEVEL IS ATOM

MLEVEL IS CLASS AT 15 16 17 18 19 20 21 23 24

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RSPEC I
NUMBER OF NODES IS 25

STEREO ATTRIBUTES: NONE

=> s 11
SAMPLE SEARCH INITIATED 11:58:51 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 1 TO ITERATE

100.0% PROCESSED 1 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 1 TO 80
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s 11 full
THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y
FULL SEARCH INITIATED 11:58:55 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 31 TO ITERATE

100.0% PROCESSED 31 ITERATIONS 2 ANSWERS
SEARCH TIME: 00.00.01

L3 2 SEA SSS FUL L1

=> file hcaplus
COST IN U.S. DOLLARS SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 158.36 158.57

FILE 'HCAPLUS' ENTERED AT 11:58:58 ON 09 JUN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Jun 2004 VOL 140 ISS 24
FILE LAST UPDATED: 8 Jun 2004 (20040608/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13

L4 1 L3

=> d 14, ibib abs fhitrstr, 1

L4 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
--------------	----------------------

ACCESSION NUMBER: 2002:405762 HCAPLUS
DOCUMENT NUMBER: 136:401882
TITLE: Preparation of novel phosphinine compounds and their metal complexes as catalysts for hydroformylation reaction
INVENTOR(S): Roettger, Dirk; Hess, Dieter; Boerner, Armin; Selent, Detlef; Kadyrov, Renat; Wiese, Klaus-Dieter; Borgmann, Cornelia
PATENT ASSIGNEE(S): OXENO Olefinchemie GmbH, Germany
SOURCE: Eur. Pat. Appl., 28 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1209164	A1	20020529	EP 2001-124864	20011018
EP 1209164	B1	20031210		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
DE 10058383	A1	20020529	DE 2000-10058383	20001124
AT 256135	E	20031215	AT 2001-124864	20011018
US 2002103375	A1	20020801	US 2001-989077	20011121
JP 2002212195	A2	20020731	JP 2001-357869	20011122
PRIORITY APPLN. INFO.:			DE 2000-10058383 A	20001124
OTHER SOURCE(S):		CASREACT 136:401882; MARPAT 136:401882		

GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *


AB The prepn. of title compds. I (n = 0-1; Y = O, NH, organoamino; R1-R9 = H, aliph. or arom. hydrocarbyl, F, Cl, Br, I, CF3, alkoxy, organocarbonyl, alkoxy carbonyl, alkali, alk. earth metal, ammonium, phosphonium substituted alkoxy carbonyl, organothio, organosulfonyl, etc.; Q, W, X = C1-50 aliph., alicyclic, aliph.-alicyclic, heterocyclic, aliph.-heterocyclic, arom., aliph.-arom. hydrocarbyl), useful as cocatalyst for [acacRh(COD)] catalyzed hydroformylation reaction, is described. Thus, cyclization of 2,2'-bis(6-tert-butyl-1-hydroxy-4-methoxyphenyl) with PCl3 in THF in presence of pyridine followed by alkoxylation with lithiated 2,2'-bis(6-tert-butyl-1-hydroxy-4-methoxyphenyl) and condensation with lithiated 10-chloro-9,10-dihydro-9-aza-10-phosphaphenanthrene gave 48% title compd. II. II cocatalyzed and [acacRh(COD)] catalyzed hydroformylation of 1-octene to give nonanal is described.

IT 431888-81-2P


RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation);
USES (Uses)
(prepn. as cocatalyst for rhodium catalyzed hydroformylation reaction)

RN 431888-81-2 HCAPLUS
 CN Dibenzo[c,e][1,2]azaphosphorine, 6-[[2'-[[4,8-bis(1,1-dimethylethyl)-2,10-dimethoxydibenzo[d,f][1,3,2]dioxaphosphepin-6-yl]oxy]-3,3'-bis(1,1-dimethylethyl)-5,5'-dimethoxy[1,1'-biphenyl]-2-yl]oxy]-5,6-dihydro- (9CI)
 (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file caold

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION

FULL ESTIMATED COST

7.12	165.69
------	--------

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION

CA SUBSCRIBER PRICE

-0.69	-0.69
-------	-------

FILE 'CAOLD' ENTERED AT 11:59:32 ON 09 JUN 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> d his

(FILE 'HOME' ENTERED AT 11:54:07 ON 09 JUN 2004)

FILE 'REGISTRY' ENTERED AT 11:54:21 ON 09 JUN 2004

L1 STRUCTURE UPLOADED
L2 0 S L1
L3 2 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 11:58:58 ON 09 JUN 2004

L4 1 S L3

FILE 'CAOLD' ENTERED AT 11:59:32 ON 09 JUN 2004

=> s l3

L5 0 L3

=> file reg

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.42	166.11
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-0.69

FILE 'REGISTRY' ENTERED AT 11:59:40 ON 09 JUN 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 7 JUN 2004 HIGHEST RN 690625-61-7

DICTIONARY FILE UPDATES: 7 JUN 2004 HIGHEST RN 690625-61-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more

information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>
 L6 STRUCTURE UPLOADED


=> d 16
 L6 HAS NO ANSWERS
 L6 STR

=> s 16
 GENERIC GROUP NOT VALID HERE
 Generic groups may not be used in these circumstances:

1. Any generic group node (e.g., Hy) in a ring.
2. An Ak node attached to another Ak node.


=>
 L7 STRUCTURE UPLOADED

=> d 17
 L7 HAS NO ANSWERS
 L7 STR





Page 1-A

Cy 25Ak 26




Page 1-C


0 18



Page 1-D



Page 2-A




Page 2-C

G1
21

Page 2-D

Page 3-A


Page 3-B




Page 3-C



Page 3-D



Page 4-B



0 19

G20
23

Page 4-C

N 20

Page 4-D

VAR G1=19/20

VAR G2=25/26

REP G20=(0-1) 18-17 18-22

NODE ATTRIBUTES:

NSPEC	IS R	AT	1
NSPEC	IS R	AT	2
NSPEC	IS R	AT	3
NSPEC	IS R	AT	4
NSPEC	IS R	AT	5
NSPEC	IS R	AT	6
NSPEC	IS R	AT	7
NSPEC	IS R	AT	8
NSPEC	IS R	AT	9
NSPEC	IS R	AT	10
NSPEC	IS R	AT	11
NSPEC	IS R	AT	12
NSPEC	IS R	AT	13
NSPEC	IS R	AT	14
NSPEC	IS C	AT	15
NSPEC	IS C	AT	16
NSPEC	IS RC	AT	17
NSPEC	IS RC	AT	18
NSPEC	IS C	AT	19
NSPEC	IS C	AT	20
NSPEC	IS RC	AT	21
NSPEC	IS RC	AT	22
NSPEC	IS C	AT	23
NSPEC	IS C	AT	24

DEFAULT MLEVEL IS ATOM

MLEVEL IS CLASS AT 15 16 17 18 19 20 22 25 26

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RSPEC I

NUMBER OF NODES IS 26

STEREO ATTRIBUTES: NONE

=> d his

(FILE 'HOME' ENTERED AT 11:54:07 ON 09 JUN 2004)

FILE 'REGISTRY' ENTERED AT 11:54:21 ON 09 JUN 2004

L1 STRUCTURE UPLOADED

L2 0 S L1

L3 2 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 11:58:58 ON 09 JUN 2004

L4 1 S L3

FILE 'CAOLD' ENTERED AT 11:59:32 ON 09 JUN 2004

L5 0 S L3

FILE 'REGISTRY' ENTERED AT 11:59:40 ON 09 JUN 2004

L6 STRUCTURE UPLOADED

L7 STRUCTURE UPLOADED

=> s 17

GENERIC GROUP NOT VALID HERE

Generic groups may not be used in these circumstances:

1. Any generic group node (e.g., Hy) in a ring.
2. An Ak node attached to another Ak node.


=>

L8 STRUCTURE UPLOADED

=> d 18


L8 HAS NO ANSWERS

L8 STR



Page 1-A

Page 1-B



Page 1-C

0 18

N 7
8 0 15

16 0 P 17

Page 1-D

Page 2-A

Page 2-B

12

20
G20
Page 2-C

Page 2-D
REP G20= (0-1) 18-17 18-19
NODE ATTRIBUTES:
NSPEC IS R AT 1
NSPEC IS R AT 2
NSPEC IS R AT 3

```

NSPEC   IS R      AT    4
NSPEC   IS R      AT    5
NSPEC   IS R      AT    6
NSPEC   IS R      AT    7
NSPEC   IS R      AT    8
NSPEC   IS R      AT    9
NSPEC   IS R      AT   10
NSPEC   IS R      AT   11
NSPEC   IS R      AT   12
NSPEC   IS R      AT   13
NSPEC   IS R      AT   14
NSPEC   IS C      AT   15
NSPEC   IS C      AT   16
NSPEC   IS RC     AT   17
NSPEC   IS RC     AT   18
NSPEC   IS RC     AT   19
NSPEC   IS C      AT   20
DEFAULT MLEVEL IS ATOM
MLEVEL  IS CLASS  AT   15 16 17 18 19
DEFAULT ECLEVEL IS LIMITED

```

GRAPH ATTRIBUTES:

```

RSPEC I
NUMBER OF NODES IS 20

```

STEREO ATTRIBUTES: NONE

=> s 18

GENERIC GROUP NOT VALID HERE

Generic groups may not be used in these circumstances:

1. Any generic group node (e.g., Hy) in a ring.
2. An Ak node attached to another Ak node.

=>

L9 STRUCTURE UPLOADED

=> d 19

L9 HAS NO ANSWERS

L9 STR

=> s 19

SAMPLE SEARCH INITIATED 12:09:37 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 1 TO ITERATE

100.0% PROCESSED 1 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 1 TO 80

PROJECTED ANSWERS: 0 TO 0

L10 0 SEA SSS SAM L9

=> s 19 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS

DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y

FULL SEARCH INITIATED 12:09:43 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 38 TO ITERATE

100.0% PROCESSED 38 ITERATIONS
SEARCH TIME: 00.00.01

0 ANSWERS

L11 0 SEA SSS FUL L9

=>



Creation date: 06-16-2004
Indexing Officer: FQUIZON - FLORINDA QUIZON
Team: OIPEScanning
Dossier: 10090594

Legal Date: 06-17-2004

No.	Doccode	Number of pages
1	NOA	3
2	NOA	3
3	IIFW	1
4	FWCLM	1
5	SRFW	1

Total number of pages: 9

Remarks:

Order of re-scan issued on